

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION	REPORT OF CERTIFICATION <i>(Fabrication of Single-Service Containers and/or Closures for Milk and/or Milk Products)</i>	FOR FDA USE ONLY				
		1	2	3	4	5

IDENTIFICATION

1 NAME OF SINGLE-SERVICE FABRICATING PLANT Selig Sealing Products, Inc.	2 CITY Forrest	3 STATE/COUNTRY IL
---	--------------------------	------------------------------

4 STREET 342 East Wabash Ave.	5 MFG CODE NO	6 CODE		60	61	62	
7 AGENCY OR SSC AS APPLICABLE, PROVIDING ROUTINE INSPECTION Illinois Department of Public Health	56	57	58	59	3	-	5

7 a RATING/ CERTIFICATION PERSONNEL	7 b DATE OF PLANT CERTIFICATION	7 d EXPIRATION DATE*			PRODUCT CODE (60)		MATERIAL CODE (62)			
<input checked="" type="checkbox"/> SHD <input type="checkbox"/> Other <input type="checkbox"/> SDA <input type="checkbox"/> TPC <input type="checkbox"/> SDL <input type="checkbox"/> SSC	02/27/2025				1 Containers 2 Closures 3 Other products 4 Containers and closures 5 Containers and other products 6 Closures and other products 7 Containers closures and other products		1 Metal 2 Paper (Includes laminates) 3 Plastic 4 Metal and paper 5 Metal and plastic 6 Paper and plastic 7 Metal paper and plastic 8 Glass 9 Rubber 10 Paper metal plastic and glass 11 Ceramic			
	7 c SANITATION COMPLIANCE RATING		MONTH	DAY	YEAR	67	68	69	70	71
		0	2	2	8	20	26			

*EXPIRATION DATE <small>Certification of single-service manufacturing plants may be valid for a period not to exceed one (1) or two (2) years from the earliest certification date plus the remaining days of the month. The expiration date is one (1) or two (2) years from the earliest certification date. NOTE: Certifications conducted by SSCs shall only be valid for a period not to exceed one (1) year, plus the remaining days of the month from the earliest certification date.</small>	8 SRO OR SSC Guy K Sprouls	9 CERTIFICATION RECOMMENDED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	9a LISTING TYPE <input type="checkbox"/> FULL <input checked="" type="checkbox"/> PARTIAL
--	--------------------------------------	--	--

LABORATORY CONTROL

10 NAME AND ADDRESS (OR CODE) OF APPROVED LABORATORY Daily Laboratories, Peoria, IL US-17-B-00133

11 INSPECTION RESULTS (Place an 'X' under items debited)																										
1	2	3	4	5	6	7	8	9	10	11	12	13 a,b,c,f g,i,k	13 d,e h,j	14	15	16 a	16 b,c	17 a,b, d,e	17 c	18	19	20 a,b,f	20 c,d,e	21	BACTI	COLI
													X			X										

12 PERMISSION TO PUBLISH

Permission is hereby granted to release and publish the above-stated certification for use by Regulatory/Rating Agencies and prospective purchasers.

It is understood and agreed by the undersigned that the official Rating Agency or SSC, as applicable, may review and appraise the single-service fabricating plant at any time during the period of time the above certification is in effect. It is further understood that failure to maintain the above certification will subject this plant to withdrawal from the IMS Listing. We will notify the Rating Agency or SSC, as applicable, of any significant changes made in the operation of this plant.

12 a NAME OF PLANT Selig Sealing Products, Inc.

12 b OFFICER AUTHORIZING RELEASE <i>Brittany Henderson</i>	12 c TITLE SHERPS specialist
---	--

13 SUBMISSION OF REPORT BY MILK SANITATION RATING AGENCY OR SSC AS APPLICABLE		
13 a DATE OF REPORT March 3, 2025	13 b RECOMMENDED CLASSIFICATION ACCEPTED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	13 c SUBMITTED BY (Signature and Title) <i>[Signature]</i> State Rating Officer

14 DATE RECEIVED	FOR FDA USE ONLY	
	15 PUBLICATION OF RATING RECOMMENDED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	(If "NO", indicate why)

16 DATE TRANSMITTED	17 SIGNATURE (Milk Specialist)
---------------------	--------------------------------